






Technical Data

JOINT BACKER ROD

Polyethylene Foam Material



BACKER ROD is a non absorbent, compressible grey closed cell polyethylene (P.E) foam backup

- Quick and easy to apply.
- Reduces sealant usage
- Improves sealant performance by obtaining easily the correct joint dimensions.
- Flexible won't bubble or blister.

Recommended For

For reducing the depth of joints in construction/

Creating a backstop to allow proper sealant





Available in

Available in grey in the following sizes:

10mm Diameter x 1150 Mtr 13mm Diameter x 750 Mtr 15mm Diameter x 550 Mtr 20mm Diameter x 350 Mtr 25mm Diameter x 200 Mtr 30mm Diameter x 160 Mtr

Loose rolls packed in a box

Product Specification

Barcode: No Barcode

Box Qtv: 1 roll Boxes / Pallet: 12

Storage

Store in original container in cool dry conditions away from sunlight.

The technical data contained herein is based on our present knowledge and experience and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings that result from technological changes or research between the date of issue of this document and the date the product is acquired. Before using the product, the user should carry out any necessary tests in order to ensure that the product is suitable for the intended application. Moreover, all users should contact the seller or the manufacturer of the product for additional technical information concerning its use if they think that the information in their possession needs to be clarified in any way, whether for normal use or a specific application of our product. Our guarantee applies within the context of the statutory regulations and provisions in force, current professional standards and in accordance with the stipulations set out in our general sales conditions. The information detailed in the present technical data sheet is given by way of indication and is not exhaustive. The same applies to any information provided verbally by telephone to any prospective or existing customer.