

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Everbuild No Waste Expanding Foam 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company	:	Everbuild – A Sika Company Site 41 Knowsthorpe Way Cross Green Industrial Estate Leeds West Yorkshire LS9 0SW United Kingdom
Telephone	:	0113 240 3456
E-mail address	:	everbuild.sds@uk.sika.com

1.4 Emergency telephone number

Emergency telephone num-	:	0044 113 240 3456 (office hours only)
ber		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Effects on or via lactation	H362: May cause harm to breast-fed children.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 **Everbuild No Waste Expanding Foam** Revision Date 10.08.2017



Specific target organ toxicity - repeated exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure if inhaled.

Chronic aquatic toxicity, Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	: [Danger	
Hazard statements	+ + + + + + + + +	H222 H229 H315 H317 H319 H334 H335 H351 H362 H373 H411	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through pro- longed or repeated exposure if inhaled. Toxic to aquatic life with long lasting effects.
Precautionary statements	F F F F F F F F	P101 Prevention: P201 P210 P211 P251 P260 P263 P263 P271 P280 Response: P304 + P340 + P3	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Obtain special instructions before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not pierce or burn, even after use. Do not breathe dust/ fume/ gas/ mist/ va- pours/ spray. Avoid contact during pregnancy and while nursing. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.



vei		Phill Date 11.00.
P308 + P313	IF exposed or concerned: Get vice/ attention.	medical ad-
Storage:		
P405	Store locked up.	
P410 + P412	Protect from sunlight. Do not e temperatures exceeding 50 °C	
Disposal:		
P501	Dispose of contents/container ance with local regulation.	in accord-

Hazardous components which must be listed on the label:

- 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues
 - 287-477-0 alkanes, C14-17, chloro

Additional Labelling:

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
isobutane 75-28-5 200-857-2	Flam. Gas1; H220	>= 10 - < 20
Diphenylmethanediisocyanate, isomeres and homo- logues 9016-87-9	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2; H319 Resp. Sens.1; H334 Skin Sens.1; H317 Carc.2; H351 STOT SE3; H335 STOT RE2; H373	>= 10 - < 20
propane 74-98-6	Flam. Gas1; H220	>= 10 - < 20
200-827-9		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild No Waste Expanding Foam





Revision Date 10.08.2017

Version 1.0

alkanes, C14-17, chloro 85535-85-9 287-477-0	Lact.H362 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 5 - < 10
Substances with a workplace exposure limit :		
dimethyl ether 115-10-6 204-065-8	Flam. Gas1; H220	>= 10 - < 20

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendar	nce.
If inhaled : Move to fresh air.	
In case of skin contact : Take off contaminated clothing and shoes immediate Wash off with soap and plenty of water. If symptoms persist, call a physician.	ely.
In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed : Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious pe	rson.
4.2 Most important symptoms and effects, both acute and delayed	
Symptoms : Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on hea and symptoms.	olth effects
Risks : irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction.	
Country GB 10000012921	4 / 1





	Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure if inhaled.
4.3 Indication of any immediate n Treatment	nedical attention and special treatment needed : Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1 Extinguishing media	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	: Water
5.2 Special hazards arising from	the substance or mixture
Specific hazards during fire- fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	: No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Use water spray to cool unopened containers. Collect contam- inated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Version 1.0

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Deny access to unprotected persons.

6.2 Environmental precautions



Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on a naked flame or any incandescent material. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	IC	uding any incompatibilities
Requirements for storage areas and containers	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in original container. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Other data	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters





Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0,02 mg/m3	GB EH40
		STEL	0,07 mg/m3	GB EH40
dimethyl ether	115-10-6	TWA	400 ppm 766 mg/m3	GB EH40
		STEL	500 ppm 958 mg/m3	GB EH40

Version 1.0

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Diphenylmethanediisocy-	9016-87-9	urinary diamine:	Post task	GB EH40
anate, isomeres and		1µmol/mol creati-		BAT
homologues		nine		
-		(Urine)		

8.2 Exposure controls

Personal protective equipment

Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers).
Respiratory protection	 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation, especially in confined areas.
ouptry CR 10000012021	7



When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	aerosol
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
Flash point	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Lower explosion limit (Vol-%)	:	No data available
Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
рН	:	No data available
Melting point/range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Vapour pressure	:	8300 hPa
Density	:	ca.0,96 g/cm3 at 20 °C
Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Viscosity, dynamic	:	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 **Everbuild No Waste Expanding Foam** Revision Date 10.08.2017





Viscosity, kinematic	: Not applicable	
Relative vapour density	: No data available	
Evaporation rate	: No data available	

Version 1.0

- 9.2 Other information
 - No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Stable under recommended storage conditions	
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid :	: Heat, flames and sparks.
-----------------------	----------------------------

10.5 Incompatible materials

Materials to avoid	: No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:					
Diphenylmethanediisocyanate, isomeres and homologues:					
Acute oral toxicity	: LD50 Oral (Rat): > 10.000 mg/kg				
Acute inhalation toxicity	: Acute toxicity estimate: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement				
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg				
Skin corrosion/irritation					

Causes skin irritation.

Revision Date 10.08.2017

Version 1.0



Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May cause harm to breast-fed children.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.





SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product		:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contami	nated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) Classification Code Labels Tunnel restriction code 14.5 Environmental hazards	: 1950 : AEROSOLS : 2 : 5F : 2.1 : (D) : no
IATA 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) Labels 14.5 Environmental hazards	: 1950 : Aerosols, flammable : 2.1 : 2.1 : no
IMDG 14.1 UN number 14.2 UN proper shipping name 14.3 Class Labels EmS Number 1 EmS Number 2 14.5 Marine pollutant	: 1950 : AEROSOLS : 2.1 : 2.1 : F-D : S-U : no





14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Restriction REACH - Restrictions on the mar the market and use of certain dat preparations and articles (Annex	Banned and/or restricted (Diphenylmethanediisocyanate, isomeres and homologues)		
REACH - Candidate List of Substances of Very High : Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	:	Not applicable	
REACH Information:	All substances contained - preregistered or registe - preregistered or registe - excluded from the regu - exempted from the regi		ed by our upstream suppliers, and/or ed by us, and/or tion, and/or

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

jor dooldent hazarda involving a	angerous substances.	Ouontity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	Quantity 1 150 t	Quantity 2 500 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t
VOC-CH (VOCV)	: 35 %		
VOC-EU (solvent)	: 35 %		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.
Other regulations	:	75/324/EEC





15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

Version 1.0

SECTION 16: Other information

ECTION 16: Other information				
Full text of H-Statements				
H220	Extremely flammable gas.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H334	May cause allergy or asthma symptoms or breathing difficulties if in-			
	haled.			
H335	May cause respiratory irritation.			
H351	Suspected of causing cancer.			
H362	May cause harm to breast-fed children.			
H373	May cause damage to organs through prolonged or repeated exposure			
	if inhaled.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Irrit.	Acute toxicity Acute aquatic toxicity Chronic aquatic toxicity Carcinogenicity Eye irritation
Flam. Gas	Flammable gases
Lact.	Effects on or via lactation
Resp. Sens.	Respiratory sensitisation
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
ADR	Accord européen relatif au transport international des marchandises
	Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 **Everbuild No Waste Expanding Foam** Revision Date 10.08.2017





PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

Version 1.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall _apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !